

Message

From: McArthur, Lisa [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=524660EFBDB140E7868646D8073F0C72-MCARTHUR, LISA]
Sent: 4/10/2019 8:44:25 PM
To: Mullin, Michelle [Mullin.Michelle@epa.gov]
Subject: RE: SVEC (Meeting follow up)

Thank you for the update.

Lisa McArthur
Manager, RCRA Corrective Action, Permits and PCB Section
Land, Chemical and Redevelopment Division
Region 10, U.S. Environmental Protection Agency
1200 Sixth Avenue, Suite 155, MS 15-D13
Seattle, WA 98101-3123
(206) 553-1814

From: Mullin, Michelle
Sent: Wednesday, April 10, 2019 1:01 PM
To: McArthur, Lisa <McArthur.Lisa@epa.gov>; Kowalski, Edward <Kowalski.Edward@epa.gov>; Skadowski, Suzanne <Skadowski.Suzanne@epa.gov>
Cc: Hamlin, Tim <Hamlin.Tim@epa.gov>; Hastings, Janis <Hastings.Janis@epa.gov>
Subject: FW: SVEC (Meeting follow up)

All-

As I mentioned yesterday R5 wrote an email to the school. I added several comments and questions, and R5 sent the email today.

The school replied that they will have to wait until after the 16th when the appropriate staff are available to answer the questions.

Email and response are below in full.

Let me know if you have any questions.

Sincerely,

Michelle Mullin | PCB Coordinator | pronouns: she, her
U.S. Environmental Protection Agency | Region 10
Office of Air and Waste | Ste 155
p: 206.553.1816 | mullin.michelle@epa.gov

From: Mannix, John <mannixj@monroe.wednet.edu>
Sent: Wednesday, April 10, 2019 12:37 PM
To: Moore, Kendall <moore.kendall@epa.gov>
Cc: Piplic, Devlin <piplicd@monroe.wednet.edu>; Peachey, Robert <peachey.robert@epa.gov>; Mullin, Michelle <Mullin.Michelle@epa.gov>; Ramanauskas, Peter <ramanauskas.peter@epa.gov>
Subject: Re: SVEC (Meeting follow up)

Thank you, Kendall. As previously discussed many of the answers to your questions will have to come from our Director of Facilities, Devlin Piplic,

Ex. 6 Personal Privacy (PP)

Ex. 6 Personal Privacy (PP)


we will get you answers as quickly after that as is possible.

Regards,

John Mannix

Assistant Superintendent, Operations

D 360.804.2579 | T 360.804.2570
200 E. Fremont St. Monroe, WA 98272



**Please note that I strive to respond to all emails within 3 business days. If your inquiry or request cannot wait please call the number listed above for assistance.

On Wed, Apr 10, 2019 at 12:04 PM Moore, Kendall <moore.kendall@epa.gov> wrote:

Hi John, thanks for meeting with us yesterday. The information you provided was very helpful. To follow up, below are the questions we'd like you and Devlin to answer. We hope to get a quick response but let us know how much time you think you'll need. We look forward to working with you to resolve any outstanding PCB issues in a timely fashion.

Please provide the following:

- contact information for the attorneys representing the school district
- protective order or similar court document that restricted disposal of PCB drum
- explanation of what's in the drum, whether the material came from SVEC or not, if it came from SVEC then where specifically the material came from, when was the PCB material discovered, when collection started, when collection ended, why you were waiting for the barrel to fill- what other PCB activities are you engaged in that you were expecting to accumulate, why it's marked 12/18, description of where its stored (does area have roof, walls, continuous floor without drains), is area marked with PCB label (please provide photos)
- Explain where the sample from the transportation shed was collected. The letter we have states it came from a lighting fixture base plate and presumes it was from a ruptured FLB used at SVEC and later stored in the shed. The question EPA has is where in the shed was this sample found?
- Describe whether there are PCB FLBs in use in the transportation shed or not, if so, is there any evidence of leaking
- Confirm whether you are following the MMIP incorporated into the approval, particularly the housekeeping provisions.

Any dissemination or use of this information by a person other than the intended recipient is unauthorized and may be illegal. If you have received this e-mail in error, please immediately notify us by return e-mail. All email to and from this domain is archived as a public record in compliance with federal and state requirements. As such they may be both discoverable in a legal action and available through a public records request.